




Engine Control Systems Combifilter DPF Fax Back Sheet

Please fill in the below information and select the configuration of your Passive DPF.


Type 1 – center Inlet/center outlet




Type 2 – offset Inlet/offset outlet




Type 6 – side Inlet/offset outlet



Type 9 – offset Inlet/side outlet



Type 10 – side Inlet/side outlet



Company: _____

Contact Name: _____

Phone: _____

Fax: _____

Date: _____

Engineering Notes:

Engine Manufacturer: _____

Engine Model: _____

Model Year: _____

Displacement: _____

Engine Family Name: _____

Rated Power: _____ hp _____ kW _____ @RPM

Aspiration: _____ NA _____ Turbo _____ TA

Fuel Control: _____ Mech. _____ Electronic

Vehicle Manufacturer: _____

Model: _____

Model Year: _____

Vehicle Type: _____

Application: (Circle) Off-Road Equipment

Highway

OEM Part Number: _____

Type (see above): Type 1 Type 2 Type 6 Type 9 Type 10

Inlet Diameter (A): _____ ID _____ OD

Outlet Diameter (B): _____ ID _____ OD

Requested Combifilter Type: Type K (8-hour regeneration) Type S (60-90 minutes)

Equipment Hour Usage: _____

Daily Shift Duration: _____ hours # of shifts per day: _____

Vehicle Duty Cycle: _____

Available Power: 240 V 1-phase OR 480 V 3-phase